Message				
From:	Ex. 6 PP / Ex. 7(C)			
Sent:	10/5/2016 5:37:02 PM	<u> </u>		
To:	Kinard, Sherrie [Kinard.Sherrie@epa.gov]	]		
CC:		x. 6 PP / Ex. 7(C)	]	
Subject:	Fw: Email from my prior co-worker (State	e of Wyoming Department of Health LTC off	ice)	
Hey Sherrie	e,			
One_more_r	niece of the complaint. This email came to me Ex. 6 PP / Ex. 7(	from a prior co-worker that was exposed as C)	well. Ex. 6 PP / Ex. 7(C) Our supervisor told her not to go	
	e "State of WY" would not promote her as they oyment hearing.	did not like it when people filed claims again	st them". This is on record with	
had with all	HA collected the samples and told the employed of the employee's. Howeve Exspression with the transfer of the Department of	here were issues long before the final citation	n in February of 2016, yet Presto	
Ex. 6 PP	/ Ex. 7(C)			
From: To: Cc: " Sent: Tue Subject: F Good mo Knowing present,		ollow the directions or clean the a	area.	
On Mon	Oct 12, 2015 at 12:04 PM,	Ex. 6 PP / Ex. 7(C)	wrote:	
	pdate on information:	LX. OFF / LX. /(C)	j wrote.	
Hey all,				
I noticed a	as I was making copies for [EX.8 PP / EX.7(5)] his morning	on the Presto-X spray reports.		
	hat each spray report had a different concentra ed this notice:	te and "quantity" level. I looked on the Talst	ar sheets for the "label" direction	
Spray App	Termiticide/Insecticide Dilution Chart Fluid Our blic. Volume: % a.i. <u>Lower finished volumes car</u> rmiticide/Insecticide per 1,000 square feet.			
They used	192 ounces to cover roughly 10,000 square	e feet in less than four weeks (if the spraye	ed coverage area was 259C,	

259D,259A & 259B) and if they covered every inch of the place which may or may not be, but this would be roughly 19 times the limit. This mix is supposed to be mixed to gallons of water not ounces, 8, 24, 96 & 64 oz used.

For maximum residual control, dilute 1.0 fluid oz. of Talstar ® Termiticide/Insecticide in up to 10 gallons of water and apply 1 to 10 gallons per 1000 square feet

People present or residing in the structure during application <u>must</u> be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. <u>Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean-up is completed</u>

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply in classrooms when in use. Do not apply when occupants are present in the immediate area in institutions such as libraries, sports facilities, etc. Application equipment that delivers low volume treatments, such as the Micro-Injector ® or Actisol ® applicators, may also be used to make crack and crevice, deep harborage, spot and general surface treatments of Talstar ® Termiticide/Insecticid

Use the high rate for heavy pest infestation, quicker knockdown, or longer residual control. Retreatment may be necessary to achieve and/or maintain control during periods of high pest pressure, or if there are signs of renewed insect activity. For the lower use rates, repeat application should be limited to no more than once per seven days. For the high use rate of 1.0 fluid oz. Talstar ® Termiticide/Insecticide per gallon (128 ounces) of water, do not apply more than once per four weeks.

Ex. 6 PP / Ex. 7(C)